MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740499.250	NucleoSpin Plasmid (NoLid) (250)	Page: 1/14
Printing date: 14.02.2020	Date of issue: 03.06.2019	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

> REF Product name

740499.250 NucleoSpin Plasmid (NoLid) (250)

REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

> 1 x 75 mL A1 1 x 100 mL A2 (with LyseControl) 1 x 100 mL A3 2 x 25 mL A4 1 x 60 mL AE 2 x 75 mL AW 1 x 0.6-100 mg RNase A (Iyo)

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY Tel.: +49 2421 969 0

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet:

SECTION 2: Hazard identification

2.0 Classification of the complete product



GHS07

Signal word	DANGER
Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H334	Resp. Sens. 1

2.1 Classification of the substance or mixture

75 mL A1

H336

Do not need labelling as hazardous

ACHEREY-NAGE (MN>

+49 24 21 969-0 ISO 9001 CERTIFIEI Fax: +49 24 21 969-199 Version: M V 4.12.0 E-mail: info@mn-net.com

CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com

STOT SE 3

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com

http://www.mn-net.com/SDS

PO Box 662 South Yarra

Free call: 1800 007 900 T: +61(0)3 8540 5900 F: +61(0)3 9543 7827 E: info@scientifix.com.au

VIC 3141 Australia www.scientifix.com.au

scientifix

DE/international: Tel.:

MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

_	
\Diamond	
GHS07	
WARNING	
Hazard classes/categories	
Skin Irrit. 2 Eye Irrit. 2	
\Diamond	
GHS07	
WARNING	
Hazard classes/categories	
Acute Tox. 4 oral Eye Irrit. 2	
Do not need labelling as hazardous -	
Do not need labelling as hazardous -	
WARNING	
Hazard classes/categories	
Flam. Liq. 3	
Eye Irrit. 2	
	Qiesti Qiesti



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: Tel.: +49 24 21 969-0 Tel.: +49 24 21 969-199 Fax: Fax: Version: M V 4.12.0 E-mail: info@mn-net.com

+41 62 388 55 00 +41 62 388 55 05 E-mail: sales-ch@mn-net.com FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com

www.mn-net.com

US: Tel.: +1 484 821 0984 +1 484 821 1272 Fax: E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740499.250	NucleoSpin Plasmid (NoLid) (250)	Page: 3/14
Printing date: 14.02.2020	Date of issue: 03.06.2019	

0.6-100 mg RNase A (Iyo)

GHS08

Signal word DANGER

Hazard identification	Hazard classes/categories
H334	Resp. Sens. 1

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: WARNING and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances. The irritant hazard should be eliminated, because of buffer chemicals inside.

75 mL A1

Do not need labelling as hazardous Signal word: -

100 mL A2 (with LyseControl)



Signal word: WARNING

100 mL A3



Signal word: WARNING

25 mL A4

Do not need labelling as hazardous Signal word: -

60 mL AE

Do not need labelling as hazardous Signal word: -

75 mL AW



www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: MV 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740499.250 Printing date: 14.02.2020 NucleoSpin Plasmid (NoLid) (250) Date of issue: 03.06.2019

Page: 4/14

0.6-100 mg RNase A (Iyo)



Signal word: DANGER

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P342+311 Avoid breathing dust/vapours. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. ---

Information pertaining to particular risks to human and possible symptoms Cause after oral intake, impairments of health when ingested in small quantities.

Kit contains small amounts of enzymes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. -

Information pertaining to particular risks to the environment PBT: not applicable vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

EC No .:

75 mL A1

Chemical: chemic	cals/mixture < 1%	CAS No.: -
Classification:	No criteria for classification or naming of chemical not required.	
TSCA Inventory:	all listed, <1%	
KE No.:	listed	
Concentration:	0,1 - <1 %	
acc. CLP (GHS):	The criteria for classification are not fulfilled.	

100 mL A2 (with LyseCont	rol)		
Chemical: sodiu	<i>im hydroxide solution</i> (diluted < 2 %)		CAS No.: 1310-73-2d
Classification:	H314, Skin Corr. 1B		
Formula:	NaOH•H ₂ O		
Pseudonym:	diluted soda lye		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119457892-27-xxxx		
EC No.:	215-185-5	Indice No.:	011-002-00-6
RTECS:	WB4900000		
KE No.:	KE-31487		
Concentration:	0,5 - <1 %		
acc. CLP (GHS):	H315, Skin Irrit. 2, H319, Eye Irrit. 2		
Chemical: dode	cyl sulfate, sodium salt		CAS No.: 151-21-3
Classification:	H228, Flam. Sol. 1, H302, Acute To	x. 4 oral, H315, Sł	kin Irrit. 2, H318, Eye Dam. 1, H332, Acute
Tox. 4 inh., H335, \$	STOT SE 3, H412, Aquatic Chronic 3		· · · ·
Formula:	C ₁₂ H ₂₅ NaO ₄ S		
Pseudonym:	sodium lauryl sulfate, sulfuric acid m	nonododecyl ester	sodium salt
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119489461-32-xxxx		
= 0 N			

WT1050000 MFCD: RTECS: KE No .: KE-21884 Concentration: 0,1 - <1 % acc. CLP (GHS): The criteria for classification are not fulfilled

www.mn-net.com

ACHEREY-NAGE (MN> ISO 9001 CERTIFIEI

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

205-788-1

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

00036175



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740499.250 Printing date: 14.02.2	020	NucleoSpin Plas Date of issue: 03	smid (NoLid) (250) 3.06.2019		Page: 5/*
	Chemical: indica Classification:	ator dye(s)		CAS No.: -	
	TSCA Inventory:	No criteria for classification or naming all listed, <1%	or chemical not required.		
	Concentration:	< 0,01 %			
	acc. CLP (GHS):	The criteria for classification are not for	ulfilled.		
100 ml	L A3				
		idine hydrochloride		CAS No.: 50-01-1	
	Classification: Formula:	H302, Acute Tox. 4 oral, H318 CH ₆ ClN ₃	5, Skin Irrit. 2, H319, Eye	e Irrit. 2	
	Pseudonym:	guanidinium chloride			
	TSCA Inventory:	listed			
	REACH Reg. No.:	01-2119977063-35-0005			
	EC No.:	200-002-3	Indice No.:	607-148-00-0	
	RTECS: KE No.:	MF4300000 KE-18111	MFCD:	00013026	
	Concentration:	36 - <50 %			
	acc. CLP (GHS):	H302, Acute Tox. 4 oral, H319	9, Eye Irrit. 2		
25 mL	Δ4				
201112		icals/mixture < 1%		CAS No.: -	
	Classification:	No criteria for classification or naming	of chemical not required.		
	TSCA Inventory:	all listed, <1%			
	KE No.:				
	Concentration: acc. CLP (GHS):	0,1 - <1 % The criteria for classification are not for	ulfilled.		
60 ml	A F				
60 mL		icals/mixture < 1%		CAS No.: -	
	Classification:	No criteria for classification or naming	n of chemical not required	0/10/110	
	TSCA Inventory:	all listed, <1%	j ol ollolliour not required.		
	KE No.:	listed			
	Concentration:	0,1 - <1 %			
	acc. CLP (GHS):	The criteria for classification are not for	ulfilled.		
75 mL					
	Chemical: guan Classification:	idine hydrochloride H302, Acute Tox. 4 oral, H315	5 Skin Irrit 2 H310 Eve	CAS No.: 50-01-1	
	Formula:	$CH_6 CIN_3$	5, 5kiii iint. 2, 11519, Lye	5 IIII. Z	
	Pseudonym:	guanidinium chloride			
	TSCA Inventory:	listed			
	REACH Reg. No.:	01-2119977063-35-0005			
	EC No.:	200-002-3	Indice No.:	607-148-00-0	
	RTECS: KE No.:	MF4300000 KE-18111	MFCD:	00013026	
	Concentration:	36 - <50 %			
	acc. CLP (GHS):	H302, Acute Tox. 4 oral, H319	9, Eye Irrit. 2		
		panol		CAS No.: 67-63-0	
	Classification:	H225, Flam. Liq. 2, H319, Eye	e Irrit. 2, H336, STOT SE	3	
	Formula: Pseudonym:	C ₃ H ₈ O isopropanol, IPA, propan-2-ol			
	TSCA Inventory:	listed			
	REACH Reg. No.:	01-2119457558-25-XXXX			
	EC No.:	200-661-7	Indice No.:	603-117-00-0	
	RTECS:	NT8050000	MFCD:	00011674	
	KE No.:	KE-29363			
	Concentration: acc. CLP (GHS):	20 - <35 % H226, Flam. Liq. 3, H319, Eye	e Irrit. 2, H336, STOT SE	3	
0 6 404	ma PNasa A (luc)				
0.6-100	0 mg RNase A (Iyo)				



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany FR: US: DE/international: CH: +41 62 388 55 00 +41 62 388 55 05 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 +1 484 821 1272 Fax: Fax: Fax: +33 388 51 76 88 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 74	40499.250	NucleoSpin Plasmid (NoLid) (250)	Page: 6/1			
Printing	g date: 14.02.2020	Date of issue: 03.06.2019				
	Chemical: RNas Classification: Formula: Pseudonym: TSCA Inventory: EC No.: RTECS: KE No.: Concentration: acc. CLP (GHS):	Se CAS No.: H334, Resp. Sens. 1 Enzyme Comm. No. 3.1.27.5,origin: bovine pancreas (controlled population) Nuclease, ribo- listed 232-646-6 RF0760000 KE-30341 90 - <100 % H334, Resp. Sens. 1 Hash, Resp. Sens. 1	9001-99-4			
3.3	Remarks					
	When not listed, mixtures are	e added with water [CAS No. 7732-18-5] to 100%.				
	List of H and P phrases: see	section 16.1				
SECT	ION 4: First aid measu	ros				
4.1		easures er zone to fresh air immediately. Ensure quiet, warmth, and provide resu e. Take to a doctor, in a raised position if there are breathing difficulties.	uscitation if necessary. If			
4.1.1	After SKIN Contact Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.					
4.1.2	After EYE Contact After contact with the eyes ri running water (protect intact	nse thoroughly under running water with the eyelid wide open with eye v eye).	vashing bottle, eye douche or			
4.1.3	possible. Ensure quiet, warm	urs pour fresh air should be inhaled. Keep airways free. Administer a Dexar th, and provide resuscitation if necessary. In the event of respiratory dis preathing, heart and circulatory function				
4.1.4	After ORAL Intake After oral intake lots of water	should be drunk after it has been ingested				
4.2	• • •	is and effects, both acute and delayed tization by skin contact, also in repeated contact of small amounts. May if inhaled	cause allergy or asthma			
4.3	•	ate medical attention and special treatment needed				
SECT	ION 5: Firefighting me	asures				
5.1	Extinguishing media					
	Fire extinguishers appropriate to	the fire classification, and, if applicable, a fire blanket must be available OAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be us				
5.2	•	rom the substance or mixture ulation). May form explosive vapour-air mixtures. Formation of hazardou	us and caustic vapour-air			

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

E-mail: sales-fr@mn-net.com

ISO 9001 CERTIFIED www.mn-net.com

NAGEL	MACH	HEREY-NAGEL GmbH &	Co. KG ·	Neumann-Neander-Str. 6-	-8 · 5235	5 Düren · Germany		
	DE/ir	nternational: +49 24 21 969-0	CH:		FR:		US:	
	Tel.:	+49 24 21 969-0	Tel.:	+41 62 388 55 00	Tel.:	+33 388 68 22 68	Tel.:	+1 4
1 ED	Fax:	+49 24 21 969-199	Fax:	+41 62 388 55 05	Fax:	+33 388 51 76 88	Fax:	+1 4

E-mail: sales-ch@mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	740499.250 g date: 14.02.2020	NucleoSpin Plasmid (No Date of issue: 03.06.201		Page: 7/14
			19	
6.2	Environmental precauti not necessary	ons		
5.3	Bind any escaping liquid with in Clean any contaminated equipn	for containment and cleaning up nert absorbent. And dispose in accordance ment and floors with plenty of water. Id liquid and flush with water into drains.	to local regulations for the disposal of hazardous c	hemicals.
6.4	Reference to other sect	tions		
SECT	ΓΙΟΝ 7: Handling and s	storage		
7.1	Precautions for safe ha Handling in accordance with the		uct. Use only in well-ventilated working areas.	
7.2	Conditions for safe stor	prage, including any incompatibil of MACHEREY-NAGEL allows a safe storag 3 2	lities	
7.2.1	Requirements for stock r		prage.	
7.3	Specific end use(s) Product for analytical use.		č	
SECT	[ION 8: Exposure con	trols/personal protection		
8.1	Control parameters			
	75 mL A1 Chemical: chemicals/m	nixture < 1%	CAS No.: -	
	100 mL A2 (with LyseCor Chemical: sodium hydro	ntrol) Iroxide solution	CAS No.: 1310-73-2d	
	NIOSH:	fate, sodium salt not listed average to a reference period of 8 hours, [STEL] Short- not listed	CAS No.: 151-21-3	
	Chemical: indicator dye		CAS No.: -	
	100 mL A3 Chemical: guanidine hy DNEL: DNEL = Derived No-Effe	[inh] 3.5 mg/m ³ fect Level (for workers)	CAS No.: 50-01-1	
	PNEC _(fresh water) : PNEC = Predicted No Ef NIOSH: [TWA] Time-weighted av OSHA:	- Effected Concentration not listed average to a reference period of 8 hours, [STEL] Short- not listed	-term exposure limit related to a 15-minute period	
	25 mL A4 Chemical: chemicals/m	nixture < 1%	CAS No.: -	
	60 mL AE Chemical: chemicals/m	nixture < 1%	CAS No.: -	
	75 mL AW Chemical: guanidine hy DNEL: DNEL = Derived No-Effe	[inh] 3.5 mg/m ³ fect Level (for workers)	CAS No.: 50-01-1	
	PNEC _{(fresh water}) : PNEC = Predicted No Ef NIOSH:	- Effected Concentration not listed	W	ww.mn-net.
MACI	 HEREY-NAGEL GmbH & Co. KG	• Neumann-Neander-Str. 6–8 • 52355 Dü		
	nternational: CH: +49 24 21 969-0 Tel.: +49 24 21 969-199 Fax:	: FR: : +41 62 388 55 00 Tel.: +33	US: 3 388 68 22 68 Tel.: +1 484 821 0984 3 388 51 76 88 Fax: +1 484 821 1272 as fr@mp.pot.com	

Version: M V 4.12.0 E-mail: info@mn-net.com

MACHEREY-NAGE **MN** ISO 9001 CERTIFIED

Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

Fax: +33 388 51 76 88

Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

OSHA: Chemical: 2-propanol DNEL: DNEL = Derived No-Effe PNEC(fresh water) : PNEC = Predicted No Effe	not listed [inh] 500 mg/m³ ct Level (for workers)	6.2019 Short-term exposure limit related to a 15-minute period CAS No.: 67-63-0	
OSHA: Chemical: 2-propanol DNEL: DNEL = Derived No-Effe PNEC(fresh water) : PNEC = Predicted No Effe	not listed [inh] 500 mg/m³ ct Level (for workers)		
OSHA: Chemical: 2-propanol DNEL: DNEL = Derived No-Effe PNEC(fresh water) : PNEC = Predicted No Effe	not listed [inh] 500 mg/m³ ct Level (for workers)		
OSHA: Chemical: 2-propanol DNEL: DNEL = Derived No-Effe PNEC(fresh water) : PNEC = Predicted No Effe	not listed [inh] 500 mg/m³ ct Level (for workers)		
DNEL: DNEL = Derived No-Effe PNEC(fresh water) : PNEC = Predicted No Ef	ct Level (for workers)	CAS No.: 67-63-0	
DNEL = Derived No-Effe PNEC(fresh water) : PNEC = Predicted No Ef	ct Level (for workers)		
	110.0		
	fected Concentration		
TRGS 900 (DE):	200 ppm / 500 mg/m³ E/e respirable		
), teratogenic (Z) not securely excluded / (Y) certainly ex	cluded
SUVA(CH) MAK value: TRGS 903 (DE):	200 ppm / 500 mg/m³ [Aceton B/b, U/b] 25 mg/L		
NIOSH: NIOSH STEL: ITWAI Time-weighted av	[TWA] 400 ppm / 980 mg/m³ 500 ppm / 1225 mg/m³		
OSHA:	[TWA] 400 ppm / 980 mg/m ³		
0.6-100 mg RNase A (Iyo) Chemical: <i>RNase</i>		CAS No.: 9001-99-4	4
Exposure controls			
		chemicals with floor drainage and washing fa	acilities. The highest
Respiratory protection Use for open access of the	se substances for example a protecti	on filter, class A/AX. No additional recommer	idations.
			Nitril (f.ex. from Anse
Eye protection Yes, safety glasses accord	ing EN 166 with integrated side shiel	ds or wrap-around protection.	
Skin protection Recommended to avoid co	ntamination with these hazards.		
with the skin, eyes and clot	hing. Rinse any clothing on which the	e substance has been spilled, and soak it in w	vater. Wash hands
ON 9: Physical and c	hemical properties		
Information on basic ph	ysical and chemical proper	ties	
75 mL A1	- • • • •		
pH:	7.5-8.5	Odor: odorless	
	skin resorptive (H), resp SUVA(CH) MAK value: TRGS 903 (DE): NIOSH: NIOSH: ITWA] Time-weighted av OSHA: 0.6-100 mg RNase A (Iyo) Chemical: RNase Exposure controls Good ventilation and extraction level of cleanliness must be mail Respiratory protection Use for open access of the: Hand protection Yes, gloves according EN 3 or KCL). Use for short time: Eye protection Yes, safety glasses accordi Skin protection Recommended to avoid co Personal hygiene Eating, drinking, smoking, t with the skin, eyes and clot thoroughly with soap and w ON 9: Physical and C Information on basic ph 75 mL A1 Appearance: liquid	Short-term exposure factor: 2 (II), Y skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh SUVA(CH) MAK value: 200 ppm / 500 mg/m³ TRGS 903 (DE): [Aceton B/b, U/b] 25 mg/L B blood, U urine, a no limitation, b end of NIOSH: [TWA] 400 ppm / 980 mg/m³ NIOSH STEL: 500 ppm / 1225 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] OSHA: [TWA] 400 ppm / 980 mg/m³ 0.6-100 mg RNase A (Iyo) Chemical: <i>RNase</i> Exposure controls Good ventilation and extraction system in the room, floor resistant to level of cleanliness must be maintained at the workplace. Respiratory protection Use for open access of these substances for example a protecti Hand protection Yes, gloves according EN 374 (permeation time >30 min - level or KCL). Use for short times chemical resistant latex gloves with Eye protection Yes, safety glasses according EN 166 with integrated side shield Skin protection Recommended to avoid contamination with these hazards. Personal hygiene Eating, drinking, smoking, taking snuff and storage of food in wo with the skin, eyes and clothing. Rinse any clothing on which the thoroughly with soap and water when stopping work and before ON 9: Physical and chemical properties Information on basic physical and chemical proper 75 mL A1 Appearance: liquid Colour: colourless pH: 7.5-8.5	Short-term exposure factor: 2 (II), Y skin recordive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly ex SUVA(CH) MAK value: 200 ppm / 500 mg/m³ TRGS 903 (DE): [Aceton B/b, U/b] 25 mg/L B blood, U Urine, a no limitation, b end of exposition or shift NIOSH [TWA] 400 ppm / 980 mg/m³ NIOSH STEL: 500 ppm / 1225 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period OSHA: [TWA] 400 ppm / 980 mg/m³ O.6-100 mg RNase A (tyo) CAS No.: 9001-99-4 Code ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing felevel of cleanliness must be maintained at the workplace. Respiratory protection Use for open access of these substances for example a protection filter, class A/AX. No additional recomment Hand protection Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1. Eye protection Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection. Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection. Yes, safety glasses according EN 166 with integrated s

100 mL A2 (with LyseControl) Appearance: liquid pH: Specific gravity:

Colour: blue 13 1.008 g/cm³

Odor: odorless

100 mL A3 Appearance: liquid pH: Specific gravity:

Colour: colourless 4-4.5 1.14 g/cm³

Odor: acetic

25 mL A4

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740499.250	NucleoSpin Plasmid (NoLid) (250) Date of issue: 03.06.2019		Page: 9/14
Printing date: 14.02.2020			
Appearance: liquid pH: Specific gravity:	Colour: colourless 7-8 1.00 g/cm³	Odor: odorless	
60 mL AE Appearance: liquid pH: Specific gravity:	Colour: colourless 8-9 1.0 g/cm³	Odor: odorless	
75 mL AW Appearance: liquid pH: Flash point: Specific gravity:	Colour: colourless 7-8 25 °C 1.06 g/cm³	Odor: alcoholic	
0.6-100 mg RNase A (Iyo) Appearance: solid (Iyoph.) Solubility in water:	Colour: colourless 0-100 %	Odor: odorless	

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group**

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

- 10.2 **Chemical stability**
- No known instability.
- 10.3 Possibility of hazardous reactions Note: Can form very reactive substances with oxidizing agents. No further data available.
- 10.4 Conditions to avoid Not necessary. ---

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

75 mL A1

Chemical:	chemicals/mixture < 1%	CAS No.: -
TSCA Inventory:	all listed, <1%	
Korea Exist.Chem.li	nventory: listed	

100 mL A2 (with LyseControl)

Chemical:	sodium hydroxide solution	CAS No.: 1310-73-2d
TSCA Inventory:	listed	California Proposition 65 List: not listed
Exposure Routes:	inhalation, ingestion	, skin and/or eye contact
Target Organs:	Eyes, skin, respirato	ry system
Symptoms:	-	
Japan CSCL/PRTR:	not listed, Japan PD	SCL: not listed
Japan ISHL:	listed ≥1,0%/≥1,0%	SDS required
Korea Exist.Chem.Inv	entory: KE-31487	



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com



E-mail: sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740499.250 Printing date: 14.02.2020		cleoSpin Plasmid (NoLid) (250) te of issue: 03.06.2019	Page: 10/1
LD50 _{orl rat}	[< 1%] > 50 g/kg [< 1%] > 4 g/kg		
LD50 _{orl mus} :	[> 170] ~ 4 y/ry		
Chemical:	dodecyl sulfate, sodium sal	lt (CAS No.: 151-21-3
TSCA Inventory: Australia NICNAS:	listed	California Proposition 65 List: not listed Canada CEPA 1999: DSL yes	
Japan CSCL/PRTR		signated Chemical Substance, Japan PDS	
Japan ISHL: South Korea TCCA	not listed A: not listed		
	I.Inventory: KE-21884		
LD50 _{orl rat} : LC50 _{inh rat} :	1288 mg/kg 3900 _{1h} mg/m³		
LD50drm rbt :	10 g/kg		
Chemical:	indicator dye(s)	(CAS No.: -
TSCA Inventory:	all listed, <1%		
100 mL A3			
Chemical:	guanidine hydrochloride		CAS No.: 50-01-1
TSCA Inventory: Australia NICNAS:		California Proposition 65 List: not lister Canada CEPA 1999: DSL yes	
Japan CSCL/PRTR	R: not listed, Japan PI		
Japan ISHL: South Korea TCCA			
Korea Exist.Chem.	I.Inventory: KE-18111		
LD50 _{orl rat} : LC50 _{ihl rat} :	475-907 mg/kg [4h] 3181-7655 μg/ι	/m³	
LD50 _{drm rbt} :	2000 mg/kg	nts of health when ingested in small quant	itities.
25 mL A4			
Chemical:	chemicals/mixture < 1%	(CAS No.: -
TSCA Inventory: Korea Exist.Chem.	all listed, <1% I.Inventory: listed		
	,		
60 mL AE	1 1 - I- (10)	,	010 M
Chemical: TSCA Inventory:	<i>chemicals/mixture < 1%</i> all listed, <1%	Ĺ	CAS No.: -
Korea Exist.Chem.			
75 mL AW			
Chemical:	guanidine hydrochloride		CAS No.: 50-01-1
TSCA Inventory: Australia NICNAS:		California Proposition 65 List: not listed Canada CEPA 1999: DSL yes	
Japan CSCL/PRTR	R: not listed, Japan PI		,
Japan ISHL: South Korea TCCA	not listed A: not listed		
Korea Exist.Chem.	I.Inventory: KE-18111		
LD50 _{orl rat} : LC50 _{ihl rat} :	475-907 mg/kg [4h] 3181-7655 μg/ι	/m³	
LD50 _{drm rbt} :	2000 mg/kg		
		nts of health when ingested in small quant	
Chemical: TSCA Inventory:	2 <i>-propanol</i> listed	C California Proposition 65 List: not listed	CAS No.: 67-63-0 ed
ACGIH:	1230 ppm		-
Exposure Routes: Target Organs:	Eyes, skin, respirate	n, skin and/or eye contact tory system	
Symptoms: Australia NICNAS:	irritation eyes, nose	e, throat; drowsiness, dizziness, headache Canada CEPA 1999: DSL yes	
			www.mn-ne
MACHEREY-NAGEL GmbH & C DE/international:	Co. KG · Neumann-Neander-S CH:	Str. 6–8 · 52355 Düren · Germany FR:	US:
Tel.: +49 24 21 969-0	Tel.: +41 62 388 55 00		Tel.: +1 484 821 0984
Fax: +49 24 21 969-199	Fax: +41 62 388 55 05		Fax: +1 484 821 1272
E-mail info@mn-net.com	E-mail: sales-ch@mn-net (com E-mail: sales_fr@mn_net.com	F-mail: sales-us@mn-net.com

E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	40499.250 g date: 14.02.2020	NucleoSpin P Date of issue	lasmid (NoLid) (250) : 03.06.2019	Page: 11/
,	-			
	Japan CSCL/PRTR: Japan ISHL: South Korea TCCA:	PAC yes, Japan PDSCL: - listed ≥1,0%/≥0,1%, Article 5	7-2 (SDS required)	
	Korea Exist.Chem.Invent LD50 _{orl rat} : LC_Low _{orl hmn} :	5045 mg/kg 3570 mg/kg		
	LC50 _{ihl rat} : LD50 _{drm rbt} :	16 _{4h} g/m³ 12.8 g/kg		
	TRGS 905 (DE):	R _F C		
	0.6-100 mg RNase A (I	vo)		
	TSCA Inventory: Japan CSCL/PRTR: Japan ISHL: Korea Exist.Chem.Invent LD50intraperitonaeal rat : Acute Effects: Cause afte	392 mg/kg er impairments of health when ingu se sensitization by skin contact, a		No.: 9001-99-4 unts. May cause allergy or asthma
	ION 12: Ecological i	nformation		
2.1	Toxicity			
	Following information is va	id for pure substances.		
	75 mL A1 Chemical:	chemicals/mixture < 1%	(CAS No.: -
	Chemical.		e e e e e e e e e e e e e e e e e e e	AS No
	Water hazard class Storage class (VCI):	DE): 1 12-13		
	Storage class (VCI): 100 mL A2 (with LyseC	12-13		NS No - 1210 72 2d
	Storage class (VCI):	12-13 ontrol) sodium hydroxide solution	C	CAS No.: 1310-73-2d
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50 _{leuciscus} idus/96h LC50 _{fish/96h} :	12-13 pontrol) sodium hydroxide solution : 35-189 mg/L 45.4 mg/L	C	CAS No.: 1310-73-2d
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h :	12-13 sodium hydroxide solution : 35-189 mg/L 45.4 mg/L >100 mg/L		CAS No.: 1310-73-2d
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50 _{leuciscus} idus/96h LC50 _{fish/96h} :	12-13 sodium hydroxide solution : 35-189 mg/L 45.4 mg/L >100 mg/L DE): nwg WGK No.		CAS No.: 1310-73-2d
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h : Water hazard class	12-13 sodium hydroxide solution : 35-189 mg/L 45.4 mg/L >100 mg/L DE): nwg WGK No.	: 0142	CAS No.: 1310-73-2d CAS No.: 151-21-3
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50leuciscus idus/96h LC50d _{ish/96h} : EC50 _{daphnia/48h} : Water hazard class Storage class (VCI): Chemical: LC50d _{aphnia} magna/48	12-13 sodium hydroxide solution : 35-189 mg/L 45.4 mg/L >100 mg/L DE): nwg 12-13 dodecyl sulfate, sodium salt h: 6.3 mg/L	: 0142	
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h : Water hazard class Storage class (VCI): Chemical: LC50daphnia magna/48 LC50fish/96h :	12-13 sodium hydroxide solution : 35-189 mg/L 45.4 mg/L >100 mg/L DE): nwg WGK No. 12-13 dodecyl sulfate, sodium salt h: 6.3 mg/L 1.31-22.5 mg/L	: 0142	
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50 _{leuciscus} idus/96h LC50 _{fish/96} h : EC50 _{daphnia/48} h : Water hazard class Storage class (VCI): Chemical: LC50 _{daphnia} magna/48 LC50 _{fish/96} h : Water hazard class	12-13 sodium hydroxide solution sodium hydroxide solution 35-189 mg/L 45.4 mg/L >100 mg/L DE): nwg WGK No. 12-13 dodecyl sulfate, sodium salt h: 6.3 mg/L 1.31-22.5 mg/L DE): 2	: 0142	
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h : Water hazard class Storage class (VCI): Chemical: LC50daphnia magna/48 LC50fish/96h :	12-13 sodium hydroxide solution sodium hydroxide solution 35-189 mg/L 45.4 mg/L >100 mg/L DE): nwg WGK No. 12-13 dodecyl sulfate, sodium salt h: 6.3 mg/L 1.31-22.5 mg/L DE): 2	: 0142	
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50 _{leuciscus} idus/96h LC50 _{fish/96} h : EC50 _{daphnia/48h} : Water hazard class Storage class (VCI): Chemical: LC50 _{daphnia} magna/48 LC50 _{fish/96} h : Water hazard class Dispersion coefficier	12-13 sodium hydroxide solution : 35-189 mg/L 45.4 mg/L >100 mg/L DE): nwg WGK No. 12-13 dodecyl sulfate, sodium salt h: 6.3 mg/L DE): 2 ti(cotanol-water): 1.6	: 0142	
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50 _{leuciscus idus/96h} LC50 _{daphnia/48h} : Water hazard class Storage class (VCI): Chemical: LC50 _{daphnia} magna/48 LC50 _{dish/96h} : Water hazard class Dispersion coefficier Storage class (VCI): Chemical:	12-13 sodium hydroxide solution : 35-189 mg/L 45.4 mg/L >100 mg/L DE): nwg MGK No. 12-13 dodecyl sulfate, sodium salt h: 6.3 mg/L DE): 2 th(cotanol-water): 1.6 12-13 12-13	: 0142	CAS No.: 151-21-3 CAS No.: -
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50 _{leuciscus} idus/96h LC50 _{dish/96h} : EC50 _{daphnia/48h} : Water hazard class Storage class (VCI): Chemical: LC50 _{dish/96h} : Water hazard class Dispersion coefficier Storage class (VCI): Chemical: Storage class (VCI):	12-13 sodium hydroxide solution : 35-189 mg/L 45.4 mg/L >100 mg/L DE): nwg WGK No. 12-13 dodecyl sulfate, sodium salt h: 6.3 mg/L 1.31-22.5 mg/L DE): 2 t(octanol-water): 1.6 12-13 indicator dye(s) 12-13 guanidine hydrochloride	: 0142	CAS No.: 151-21-3
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h : Water hazard class Storage class (VCI): Chemical: LC50daphnia magna/48 LC50fish/96h : Water hazard class Dispersion coefficier Storage class (VCI): Chemical: Storage class (VCI): Chemical: Storage class (VCI): 100 mL A3 Chemical: PNEC = Predicted No Eff LC50leuciscus idus/96h	12-13 sodium hydroxide solution : 35-189 mg/L 45.4 mg/L >100 mg/L DE): nwg WGK No. 12-13 dodecyl sulfate, sodium salt h: 6.3 mg/L 1.31-22.5 mg/L DE): 2 t(octanol-water): 1.6 12-13 indicator dye(s) 12-13 guanidine hydrochloride exted Concentration : 1759 mg/L	: 0142 (CAS No.: 151-21-3 CAS No.: -
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h : Water hazard class Storage class (VCI): Chemical: LC50daphnia magna/48 LC50fish/96h : Water hazard class Dispersion coefficien Storage class (VCI): Chemical: Storage class (VCI): Chemical: Storage class (VCI): 100 mL A3 Chemical: PNEC = Predicted No Eff LC50leuciscus idus/96h LC50leuciscus idus/96h	12-13 sodium hydroxide solution : 35-189 mg/L 45.4 mg/L >100 mg/L DE): nwg WGK No. 12-13 dodecyl sulfate, sodium salt h: 6.3 mg/L 1.31-22.5 mg/L DE): 2 it(octanol-water): 1.6 12-13 indicator dye(s) 12-13 guanidine hydrochloride seted Concentration : 1759 mg/L [4d] 690-1850; [4	: 0142	CAS No.: 151-21-3 CAS No.: -
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50 _{leuciscus} idus/96h LC50 _{fish/96h} : EC50 _{daphnia/48h} : Water hazard class Storage class (VCI): Chemical: LC50 _{dish/96h} : Water hazard class Dispersion coefficier Storage class (VCI): Chemical: Storage class (VCI): Chemical: Storage class (VCI): Chemical: Storage class (VCI): 100 mL A3 Chemical: PNEC(fresh water) : PNEC = Predicted No Eff LC50 _{leuciscus} idus/96h LC50 _{lish/96h} : EC50 _{daphnia/48h} : EC10 _{pseudomonas put}	12-13 sodium hydroxide solution : 35-189 mg/L 45.4 mg/L >100 mg/L DE): nwg WGK No. 12-13 dodecyl sulfate, sodium salt h: 6.3 mg/L 1.31-22.5 mg/L DE): 2 it(octanol-water): 1.6 12-13 indicator dye(s) 12-13 guanidine hydrochloride ected Concentration : 1759 mg/L [4d] 690-1850; [4 70.2 mg/L ta/16h: [72h] 11.8-33.5 m	: 0142 (!8h] 1758-2420 mg/L	CAS No.: 151-21-3 CAS No.: -
	Storage class (VCI): 100 mL A2 (with LyseC Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h : Water hazard class Storage class (VCI): Chemical: LC50daphnia magna/48 LC50fish/96h : Water hazard class Dispersion coefficien Storage class (VCI): Chemical: Storage class (VCI): Chemical: Storage class (VCI): 100 mL A3 Chemical: PNEC = Predicted No Eff LC50leuciscus idus/96h LC50leuciscus idus/96h	12-13 sodium hydroxide solution : 35-189 mg/L 45.4 mg/L >100 mg/L DE): nwg WGK No. 12-13 dodecyl sulfate, sodium salt h: 6.3 mg/L 1.31-22.5 mg/L DE): 2 it(octanol-water): 1.6 12-13 indicator dye(s) 12-13 guanidine hydrochloride ected Concentration : 1759 mg/L [4d] 690-1850; [4 70.2 mg/L ta/16h: [72h] 11.8-33.5 m	: 0142 (18h] 1758-2420 mg/L ng/L	CAS No.: 151-21-3 CAS No.: -



MACHEREY-NAGE $\langle MN \rangle$ ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany FR: US: DE/international: CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 Tel.: +49 24 21 969-0 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 +1 484 821 1272 Fax: Fax: +33 388 51 76 88 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com



www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	40499.250 g date: 14.02.2020	NucleoSpin Plasmid (NoLid) (250) Date of issue: 03.06.2019	Page: 12/1
Finanç	Juale. 14.02.2020	Date of issue. 03.00.2019	
	Chemical: chemicals/mi		CAS No.: -
	Water hazard class (DE): Storage class (VCI):	1 12-13	
	60 mL AE	interro - 10/	CAS No.
	Chemical: chemicals/mi Water hazard class (DE):	1	CAS No.: -
	Storage class (VCI):	12-13	
	75 mL AW		
	Chemical: guanidine hy		CAS No.: 50-01-1
	PNEC(fresh water) : PNEC = Predicted No Effected Concentration	- on	
	LC50leuciscus idus/96h :	1759 mg/L	
	LC50 _{fish/96h} :	[4d] 690-1850; [48h] 1758-2420 mg/L	
	EC50 _{daphnia} /48h	70.2 mg/L [72h] 11.8-33.5 mg/L	
	EC10 _{pseudomonas putita/16h} : Water hazard class (DE):	1 WGK No.: 0788	
	Storage class (VCI):	12	
	Chemical: 2-propanol		CAS No.: 67-63-0
	PNEC (fresh water) : PNEC = Predicted No Effected Concentration		
	LC50 _{fish/96h} : EC50 _{daphnia} /48h :	1400 mg/L 13.3 g/L	
	IC50scenedesmus quadricauda/72h :	>1000 mg/L	
	EC10 _{pseudomonas putita/16h} :	EC5: 1050 mg/L	
	Water hazard class (DE):	1 WGK No.: 0135 0.05	
	Dispersion coefficient _(octanol-water) : Storage class (VCI):	3	
	0.6-100 mg RNase A (Iyo)		040 N/- 0004 00 4
	Chemical: RNase Water hazard class (DE):	1	CAS No.: 9001-99-4
	Storage class (VCI):	13	
2.2	Persistence and degradability		
	not necessary		
2.3	Bioaccumulative potential not necessary		
2.4	Mobility in soil		
	not necessary		
12.5	Results of PBT and vPvB assess	ment	
2.6	Other adverse effects		
	no additional data available		
ЗЕСТ	ION 13: Disposal consideration	ons	
	lease observe local regulations for collection ar formation on laboratory waste disposal (waste	nd disposal of hazardous waste and contact was code number 16 05 06).	ste disposal company, where you will obtain
3.1	Waste treatment methods Normally it is possible to empty small amound	ate (dilutadi) into draine	
SECT	ION 14: Transport informatio	n	
	I.1 UN number: 1993 14.2 UN proper s I.3 Class: 3 14.4 Packing gro	hipping name: Flammable liquid, n.o.s. (2-pr	opanol mixture)
R	Coad transport	ар. III	

Road transport				
Classification code:	F1			
Limited Quantity:	5 L	Tunnel restriction code	e:	Е
Excepted Quantity:	E 1	Special instructions:	640E	

MACHEREY-NAGEL	MACH	HEREY-NAGEL GmbH & C	o. KG ·	Neumann-Neander-Str. 6–8	· 52355	5 Düren · Germany		
	DE/in	ternational:	CH:		FR:		US:	
	Tel.:	+49 24 21 969-0	Tel.:	+41 62 388 55 00	Tel.:	+33 388 68 22 68	Tel.:	+1 484 821 0984
ISO 9001 CERTIFIED	Fax:	+49 24 21 969-199	Fax:	+41 62 388 55 05	Fax:	+33 388 51 76 88	Fax:	+1 484 821 1272
Version: M V 4.1	_{2.0} E-mai	l: info@mn-net.com	E-ma	il: sales-ch@mn-net.com	E-mail	: sales-fr@mn-net.com	E-mai	l: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

NucleoSpin Plasmid (NoLid) (250)	Page: 13/14
Date of issue: 03.06.2019	
-	

Air transport			
PAX:	355	max. weight PAX:	60 L
CAO:	366	max. weight CAO:	220 L
Maritime transport		-	
EmS:	F-E, S-E	Storage category:	А

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H336	May cause drowsiness or dizziness.

16.1.2 List of relevant P phrases

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
P260D	Do not breathe vapours.	
P261sh	Avoid breathing dust/vapours.	
P264W	Wash with water thoroughly after handling.	
P280sh	Wear protective gloves/eye protection.	
P301+312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
P304+340		
P330	Rinse mouth.	
P342+311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.	

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)! Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740499.250	NucleoSpin Plasmid (NoLid) (250)	Page: 14/14
Printing date: 14.02.2020	Date of issue: 03.06.2019	

without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009 TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU 2017-11 Adaption of ECHA Registration dossier

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com