MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740588.50	NucleoSpin Plasmid (50)	Page: 1/14
Printing date: 14.02.2020	Date of issue: 24.01.2020	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

> REF Product name

740588.50 NucleoSpin Plasmid (50)

REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

> 1 x 15 mL A1 1 x 15 mL A2 (with LyseControl) 1 x 20 mL A3 1 x 12 mL A4 1 x 13 mL AE 1 x 30 mL AW 1 x 0.6-20 mg RNase A (lyo)

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY Tel.: +49 2421 969 0

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet:

SECTION 2: Hazard identification

2.0 Classification of the complete product



GHS07

Signal word	DANGER
Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H334	Resp. Sens. 1

2.1 Classification of the substance or mixture

15 mL A1

H336

Do not need labelling as hazardous


MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

STOT SE 3

US: Tel.: +1 484 821 0984 +1 484 821 1272 Fax: E-mail: sales-us@mn-net.com

www.mn-net.com

ACHEREY-NAGE (MN>



http://www.mn-net.com/SDS

PO Box 662 South Yarra VIC 3141 Australia

scientifix

Free call: 1800 007 900 T: +61(0)3 8540 5900 F: +61(0)3 9543 7827 E: info@scientifix.com.au

www.scientifix.com.au

MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740588.50 rinting date: 14.02.2020	NucleoSpin Plasmid (50) Date of issue: 24.01.2020	Page: 2/1
Signal word	-	
No hazard class		
15 mL A2 (with LyseControl)		
	GHS07	
Signal word	WARNING	
Hazard identification	Hazard classes/categories	
H315 H319	Skin Irrit. 2 Eye Irrit. 2	
20 mL A3		
	GHS07	
Signal word	WARNING	
Hazard identification	Hazard classes/categories	
H302 H319	Acute Tox. 4 oral Eye Irrit. 2	
12 mL A4		
Signal word	Do not need labelling as hazardous -	
No hazard class		
13 mL AE		
Signal word	Do not need labelling as hazardous -	
No hazard class		
30 mL AW		
	GHS02 GHS07	
Signal word	WARNING	
Hazard identification	Hazard classes/categories	
H226 H302 H319 H336	Flam. Liq. 3 Acute Tox. 4 oral Eye Irrit. 2 STOT SE 3	



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: Tel.: +49 24 21 969-0 Tel.: +49 24 21 969-199 Fax: Fax: Version: M V 4.12.0 E-mail: info@mn-net.com

+41 62 388 55 00 +41 62 388 55 05 E-mail: sales-ch@mn-net.com FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com www.mn-net.com

US: Tel.: +1 484 821 0984 +1 484 821 1272 Fax: E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740588.50	NucleoSpin Plasmid (50)	Page: 3/14
Printing date: 14.02.2020	Date of issue: 24.01.2020	

0.6-20 mg RNase A (Iyo)

	
	GHS08
Signal word	DANGER
lazard identification	Hazard classes/categories
H334	Resp. Sens. 1

2.2 Label elements

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2).

Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances. The irritant hazard should be eliminated, because of buffer chemicals inside.

15 mL A1

Do not need labelling as hazardous Signal word: -

15 mL A2 (with LyseControl)



Signal word: WARNING

20 mL A3



Signal word: WARNING

12 mL A4

Do not need labelling as hazardous Signal word: -

13 mL AE

Do not need labelling as hazardous Signal word: -

30 mL AW



Signal word: WARNING

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: MV 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740588.50 NucleoSpin Plasmid (50) Page: 4/14 Printing date: 14.02.2020 Date of issue: 24.01.2020

0.6-20 mg RNase A (lyo)



Signal word: DANGER

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P342+311 Avoid breathing dust/vapours. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. ---

Information pertaining to particular risks to human and possible symptoms Cause after oral intake, impairments of health when ingested in small quantities. Kit contains small amounts of enzymes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. -

Information pertaining to particular risks to the environment PBT: not applicable vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

KE No .:

15 ml Δ1

Chemical: chemic	cals/mixture < 1%	CAS No.: -
Classification:	No criteria for classification or naming of chemical not required.	
TSCA Inventory:	all listed, <1%	
KE No.:	listed	
Concentration:	0,1 - <1 %	
acc. CLP (GHS):	The criteria for classification are not fulfilled.	

15 mL A2 (with LyseContro	1)		
Chemical: sodiu	<i>m</i> hydroxide solution (diluted < 2 %)		CAS No.: 1310-73-2d
Classification:	H314, Skin Corr. 1B		
Formula:	NaOH•H ₂ O		
Pseudonym:	diluted soda lye		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119457892-27-xxxx		
EC No.:	215-185-5	Indice No.:	011-002-00-6
RTECS:	WB4900000		
KE No.:	KE-31487		
Concentration:	0,5 - <1 %		
acc. CLP (GHS):	H315, Skin Irrit. 2, H319, Eye Irrit. 2		
Chemical: dodeo	cyl sulfate, sodium salt		CAS No.: 151-21-3
Classification:	H228, Flam. Sol. 1, H302, Acute To	x. 4 oral, H315, Skin	Irrit. 2, H318, Eye Dam. 1, H332, Acute
Tox. 4 inh., H335, S	TOT SE 3, H412, Aquatic Chronic 3		-
Formula:	C ₁₂ H ₂₅ NaO ₄ S		

Pseudonym: sodium lauryl sulfate, sulfuric acid monododecyl ester sodium salt TSCA Inventory: listed REACH Reg. No.: 01-2119489461-32-xxxx EC No .: 205-788-1 RTECS: WT1050000 MFCD: 00036175 KE-21884

Concentration: 0,1 - <1 % acc. CLP (GHS): The criteria for classification are not fulfilled

www.mn-net.com

ACHEREY-NAGE (MN> ISO 9001 CERTIFIEI

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740588.50 Printing date: 14.02.20	020	NucleoSpin Plasmid (50) Date of issue: 24.01.202	,		Page: 5/
0				CAS No.: -	
	Classification:	tor dye(s) No criteria for classification or naming of chemic	cal not required	CA3 NO	
	TSCA Inventory:	all listed, <1%	ai not required.		
	Concentration:	< 0,01 %			
	acc. CLP (GHS):	The criteria for classification are not fulfilled.			
20 mL	A3				
		dine hydrochloride	" 0 11040 E 1 "	CAS No.: 50-01-1	
	Classification:	H302, Acute Tox. 4 oral, H315, Skin Ir	rit. 2, H319, Eye Irrit.	. 2	
	Formula: Pseudonym:	CH ₆ CIN ₃ guanidinium chloride			
	TSCA Inventory:	listed			
	REACH Reg. No.:	01-2119977063-35-0005			
	EC No.:		ndice No.:	607-148-00-0	
	RTECS:		MFCD:	00013026	
	KE No.:	KE-18111			
	Concentration:	36 - <50 %			
	acc. CLP (GHS):	H302, Acute Tox. 4 oral, H319, Eye In	rit. 2		
12 mL	A4				
		icals/mixture < 1%		CAS No.: -	
	Classification:	No criteria for classification or naming of chemic	cal not required.		
	TSCA Inventory:	all listed, <1%			
	KE No.:				
	Concentration: acc. CLP (GHS):	0,1 - <1 % The criteria for classification are not fulfilled.			
13 mL		icals/mixture < 1%		CAS No.: -	
	Classification:	No criteria for classification or naming of chemic	cal not required		
	TSCA Inventory:	all listed, <1%	sarnot required.		
	KE No.:	listed			
	Concentration:	0,1 - <1 %			
	acc. CLP (GHS):	The criteria for classification are not fulfilled.			
30 mL	AW				
	•	dine hydrochloride		CAS No.: 50-01-1	
	Classification:	H302, Acute Tox. 4 oral, H315, Skin Ir	rit. 2, H319, Eye Irrit.	. 2	
	Formula:	CH ₆ CIN ₃			
	Pseudonym:	guanidinium chloride			
	TSCA Inventory: REACH Reg. No.:	listed 01-2119977063-35-0005			
	EC No.:		ndice No.:	607-148-00-0	
	RTECS:		MFCD:	00013026	
	KE No.:	KE-18111			
	Concentration:	36 - <50 %			
	acc. CLP (GHS):	H302, Acute Tox. 4 oral, H319, Eye Im	rit. 2		
	Chemical: 2-pro			CAS No.: 67-63-0	
	Classification:	H225, Flam. Liq. 2, H319, Eye Irrit. 2,	H336, STOT SE 3		
	Formula:	$C_3 H_8 O$			
	Pseudonym: TSCA Inventory:	isopropanol, IPA, propan-2-ol			
	REACH Reg. No.:	listed 01-2119457558-25-XXXX			
	EC No.:		ndice No.:	603-117-00-0	
	RTECS:		MFCD:	00011674	
	KE No.:	KE-29363			
	Concentration:	20 - <35 %			
	acc. CLP (GHS):	H226, Flam. Liq. 3, H319, Eye Irrit. 2,	H336, STOT SE 3		
0.6-20	mg RNase A (Iyo)				

MACHEREY-NAGE **(MN)** ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany FR: US: DE/international: CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 Tel.: +49 24 21 969-0 Tel.: +1 484 821 0984 Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: +1 484 821 1272 Fax: Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 7	40588.50	NucleoSpin Plasmid (50)	Page: 6/14
Printin	g date: 14.02.2020	Date of issue: 24.01.2020	
	Chemical: RNa		lo.: 9001-99-4
	Classification: Formula: Pseudonym: TSCA Inventory: EC No.: RTECS: KE No.: Concentration: acc. CLP (GHS):	H334, Resp. Sens. 1 Enzyme Comm. No. 3.1.27.5,origin: bovine pancreas (controlled population Nuclease, ribo- listed 232-646-6 RF0760000 KE-30341 90 - <100 % H334, Resp. Sens. 1	
3.3	Remarks When not listed, mixtures are	e added with water [CAS No. 7732-18-5] to 100%.	
	List of H and P phrases: see	section 16.1	
SEC	ΓΙΟΝ 4: First aid measu	res	
4.1	Description of first aid m	easures	
		er zone to fresh air immediately. Ensure quiet, warmth, and provide re e. Take to a doctor, in a raised position if there are breathing difficultie	
4.1.1	After SKIN Contact Remove contaminated clothi soap.	ng. Rinse the affected skin or mucous membrane thoroughly under ru	inning water. (If possible) use
4.1.2	After EYE Contact After contact with the eyes ri running water (protect intact	nse thoroughly under running water with the eyelid wide open with ey eye).	e washing bottle, eye douche or
4.1.3	possible. Ensure quiet, warn	urs apour fresh air should be inhaled. Keep airways free. Administer a De oth, and provide resuscitation if necessary. In the event of respiratory preathing, heart and circulatory function	
4.1.4	After ORAL Intake After oral intake lots of water	should be drunk after it has been ingested	
4.2	Most important symptom	is and effects, both acute and delayed	
	Chronic Effects: May cause sens symptoms or breathing difficulties	itization by skin contact, also in repeated contact of small amounts. M s if inhaled	ay cause allergy or asthma
4.3	-	ate medical attention and special treatment needed r measures and the possibility of long-term damages	
SEC	ΓΙΟΝ 5: Firefighting me	asures	
5.1		the fire classification, and, if applicable, a fire blanket must be availab FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be	
5.2	WARNING: Flammable (GHS reg	rom the substance or mixture julation). May form explosive vapour-air mixtures. Formation of hazar	dous and caustic vapour-air
5.3	mixtures possible Advice for firefighters		
0.0		ekene kume like nenen en electie	

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

--

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

E-mail: sales-fr@mn-net.com



www.mn-net.com

GEL	MACH	HEREY-NAGEL GmbH & C	o. KG ·	Neumann-Neander-Str. 6-	-8 · 5235	5 Düren · Germany		
	DE/ir	iternational:	CH:		FR:		US:	
	Tel.:	+49 24 21 969-0	Tel.:	+41 62 388 55 00	Tel.:	+33 388 68 22 68	Tel.:	+1
	Fax:	+49 24 21 969-199	Fax:	+41 62 388 55 05	Fax:	+33 388 51 76 88	Fax:	+1

E-mail: sales-ch@mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	40588.50 g date: 14.02.2020	NucleoSpin Plasmid (50) Date of issue: 24.01.2020		Page: 7/14
6.2	Environmental precautio			
6.3	Methods and material for Bind any escaping liquid with iner Clean any contaminated equipme	er containment and cleaning up ert absorbent. And dispose in accordance to ent and floors with plenty of water. liquid and flush with water into drains.	o local regulations for the disposal of hazardou	us chemicals.
6.4	Reference to other sectio	•		
SECT	ION 7: Handling and s	torage		
7.1	Precautions for safe han Handling in accordance with the t		ct. Use only in well-ventilated working areas.	
7.2	Conditions for safe stora	age, including any incompatibilit MACHEREY-NAGEL allows a safe storage 3 2	ties	
7.2.1	Requirements for stock ro Keep original product package	ooms and containers ages tightly closed during handling and stora	age.	
7.3	Specific end use(s) Product for analytical use.			
SECT	ION 8: Exposure cont	rols/personal protection		
8.1	Control parameters	-		
	15 mL A1 Chemical: <i>chemicals/mix</i>	xture < 1%	CAS No.: -	
	15 mL A2 (with LyseContro Chemical: sodium hydrox		CAS No.: 1310-73-2d	
	NIOSH: [TWA] Time-weighted aver	te, sodium salt not listed erage to a reference period of 8 hours, [STEL] Short-te	CAS No.: 151-21-3 erm exposure limit related to a 15-minute period	
	OSHA:	not listed		
	Chemical: indicator dye(s	s)	CAS No.: -	
	20 mL A3 Chemical: guanidine hyd DNEL: DNEL = Derived No-Effect	[inh] 3.5 mg/m³	CAS No.: 50-01-1	
	PNEC _{(fresh} water) : PNEC = Predicted No Effe NIOSH: [TWA] Time-weighted aver OSHA:	- ected Concentration not listed arage to a reference period of 8 hours, [STEL] Short-te not listed	erm exposure limit related to a 15-minute period	
	12 mL A4 Chemical: <i>chemicals/mix</i>	xture < 1%	CAS No.: -	
	13 mL AE Chemical: <i>chemicals/mix</i>	kture < 1%	CAS No.: -	
	30 mL AW Chemical: guanidine hyd DNEL: DNEL = Derived No-Effect PNEC(fresh water):	[inh] 3.5 mg/m³	CAS No.: 50-01-1	
	NIOSH:	ected Concentration not listed		www.mn-net.
	HEREY-NAGEL GmbH & Co. KG · N nternational: CH: +49 24 21 969-0 Tel.:	Neumann-Neander-Str. 6–8 · 52355 Düre FR: +41 62 388 55 00 Tel.: +33	en · Germany US: 388 68 22 68 Tel.: +1 484 821 09	984

ISO 9001 CERTIFIED Version: M V 4.12.0 E-mail: info@mn-net.com

MACHEREY-NAGE **MN**

> Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

Fax: +33 388 51 76 88

Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

	40588.50	NucleoSpin Plasmid (50)	Page: 8/14
Printin	g date: 14.02.2020	Date of issue: 24.01.2020	
		average to a reference period of 8 hours, [STEL] Short-term	n exposure limit related to a 15-minute period
	OSHA:	not listed	
	Chemical: 2-propanol		CAS No.: 67-63-0
		[inh] 500 mg/m ³ fect Level (for workers)	
	PNEC(fresh water) : PNEC = Predicted No	140.9 mg/L Effected Concentration	
	TRGS 900 (DE):	200 ppm / 500 mg/m³ E/e respirable	
		spiratory sensitizable (Sa), skin sensitizable (Sh), teratoger	nic (Z) not securely excluded / (Y) certainly excluded
	SUVA(CH) MAK value: TRGS 903 (DE):	200 ppm / 500 mg/m³ [Aceton B/b, U/b] 25 mg/L B blood, U urine, a no limitation, b end of expositior	n or shift
	NIOSH:	[TWA] 400 ppm / 980 mg/m ³	
	NIOSH STEL: [TWA] Time-weighted	500 ppm / 1225 mg/m ³ average to a reference period of 8 hours, [STEL] Short-term	n exposure limit related to a 15-minute period
	OSHA:	[TWA] 400 ppm / 980 mg/m³	
	0.6.20 mg DNasa A (kus)		
	0.6-20 mg RNase A (Iyo) Chemical: <i>RNase</i>		CAS No.: 9001-99-4
8 2	Exposure controls		
8.2	Exposure controls Good ventilation and extractio level of cleanliness must be m		als with floor drainage and washing facilities. The highest
8.2 8.2.1	Good ventilation and extractio level of cleanliness must be m Respiratory protection		
	Good ventilation and extraction level of cleanliness must be m Respiratory protection Use for open access of the Hand protection Yes, gloves according EN	aintained at the workplace. ese substances for example a protection filter,	class A/AX. No additional recommendations. ist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansel
8.2.1 8.2.2	Good ventilation and extraction level of cleanliness must be m Respiratory protection Use for open access of th Hand protection Yes, gloves according EN or KCL). Use for short tim Eye protection	aintained at the workplace. ese substances for example a protection filter, I 374 (permeation time >30 min - level 2), consi	class A/AX. No additional recommendations. ist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansel N 374-3 level 1.
8.2.1	Good ventilation and extraction level of cleanliness must be m Respiratory protection Use for open access of th Hand protection Yes, gloves according EN or KCL). Use for short tim Eye protection Yes, safety glasses accord Skin protection	aintained at the workplace. ese substances for example a protection filter, I 374 (permeation time >30 min - level 2), consi es chemical resistant latex gloves with code EN	class A/AX. No additional recommendations. ist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansel N 374-3 level 1.
8.2.1 8.2.2 8.2.3	Good ventilation and extraction level of cleanliness must be m Respiratory protection Use for open access of th Hand protection Yes, gloves according EN or KCL). Use for short tim Eye protection Yes, safety glasses accord Skin protection Recommended to avoid of Personal hygiene Eating, drinking, smoking with the skin, eyes and cl	aintained at the workplace. ese substances for example a protection filter, I 374 (permeation time >30 min - level 2), consi es chemical resistant latex gloves with code EN rding EN 166 with integrated side shields or wra contamination with these hazards. , taking snuff and storage of food in work areas	class A/AX. No additional recommendations. ist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansel N 374-3 level 1. ap-around protection.
8.2.1 8.2.2 8.2.3 8.2.4 8.2.5	Good ventilation and extraction level of cleanliness must be m Respiratory protection Use for open access of th Hand protection Yes, gloves according EN or KCL). Use for short tim Eye protection Yes, safety glasses accord Skin protection Recommended to avoid of Personal hygiene Eating, drinking, smoking with the skin, eyes and cl	aintained at the workplace. ese substances for example a protection filter, I 374 (permeation time >30 min - level 2), consi es chemical resistant latex gloves with code EN rding EN 166 with integrated side shields or wra contamination with these hazards. , taking snuff and storage of food in work areas othing. Rinse any clothing on which the substan water when stopping work and before eating, a	class A/AX. No additional recommendations. ist of PVC, natural latex, Neopren, or Nitril (f.ex. from Anse N 374-3 level 1. ap-around protection.
8.2.1 8.2.2 8.2.3 8.2.4 8.2.5	Good ventilation and extraction level of cleanliness must be m Respiratory protection Use for open access of th Hand protection Yes, gloves according EN or KCL). Use for short tim Eye protection Yes, safety glasses accord Skin protection Recommended to avoid of Personal hygiene Eating, drinking, smoking with the skin, eyes and cl thoroughly with soap and	aintained at the workplace. ese substances for example a protection filter, I 374 (permeation time >30 min - level 2), consi es chemical resistant latex gloves with code EN rding EN 166 with integrated side shields or wra contamination with these hazards. , taking snuff and storage of food in work areas othing. Rinse any clothing on which the substan water when stopping work and before eating, a	class A/AX. No additional recommendations. ist of PVC, natural latex, Neopren, or Nitril (f.ex. from Anse N 374-3 level 1. ap-around protection.
8.2.1 8.2.2 8.2.3 8.2.4 8.2.5 SECT	Good ventilation and extraction level of cleanliness must be m Respiratory protection Use for open access of th Hand protection Yes, gloves according EN or KCL). Use for short tim Eye protection Yes, safety glasses accord Skin protection Recommended to avoid of Personal hygiene Eating, drinking, smoking with the skin, eyes and cl thoroughly with soap and FION 9: Physical and Information on basic p 15 mL A1	aintained at the workplace. ese substances for example a protection filter, I 374 (permeation time >30 min - level 2), consi es chemical resistant latex gloves with code EN rding EN 166 with integrated side shields or wra contamination with these hazards. , taking snuff and storage of food in work areas othing. Rinse any clothing on which the substar water when stopping work and before eating, a chemical properties hysical and chemical properties	class A/AX. No additional recommendations. ist of PVC, natural latex, Neopren, or Nitril (f.ex. from Anse N 374-3 level 1. ap-around protection. and at outdoor workplaces is prohibited. Avoid contact nee has been spilled, and soak it in water. Wash hands and then apply protective skin cream.
8.2.1 8.2.2 8.2.3 8.2.4 8.2.5 SECT	Good ventilation and extraction level of cleanliness must be m Respiratory protection Use for open access of th Hand protection Yes, gloves according EN or KCL). Use for short tim Eye protection Yes, safety glasses accord Skin protection Recommended to avoid of Personal hygiene Eating, drinking, smoking with the skin, eyes and cl thoroughly with soap and FION 9: Physical and Information on basic p	aintained at the workplace. ese substances for example a protection filter, I 374 (permeation time >30 min - level 2), consi les chemical resistant latex gloves with code EN rding EN 166 with integrated side shields or wra contamination with these hazards. , taking snuff and storage of food in work areas othing. Rinse any clothing on which the substan water when stopping work and before eating, a chemical properties	class A/AX. No additional recommendations. ist of PVC, natural latex, Neopren, or Nitril (f.ex. from Anse N 374-3 level 1. ap-around protection.

15 mL A2 (with LyseControl) Appearance: liquid pH: Specific gravity:

Colour: blue 13 1.008 g/cm³ Odor: odorless

20 mL A3 Appearance: liquid pH: Specific gravity:

Colour: colourless 4-4.5 1.14 g/cm³

Odor: acetic

12 mL A4

www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany MACHEREY-NAGE US: DE/international: CH: FR: **(MN)** +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 ISO 9001 CERTIFIED +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740588.50	NucleoSpin Plasmi	d (50)	Page: 9/14
Printing date: 14.02.2020	Date of issue: 24.01.2020		
Appearance: liquid pH: Specific gravity:	Colour: colourless 7-8 1.00 g/cm³	Odor: odorless	
13 mL AE Appearance: liquid pH: Specific gravity:	Colour: colourless 8-9 1.0 g/cm³	Odor: odorless	
30 mL AW Appearance: liquid pH: Flash point: Specific gravity:	Colour: colourless 7-8 25 °C 1.06 g/cm³	Odor: alcoholic	
0.6-20 mg RNase A (Iyo) Appearance: solid (Iyoph.) Solubility in water:	Colour: colourless 0-100 %	Odor: odorless	

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required. **Relevant Properties of Substance Group**

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

- 10.2 **Chemical stability**
- No known instability.
- 10.3 Possibility of hazardous reactions Note: Can form very reactive substances with oxidizing agents. No further data available.
- 10.4 Conditions to avoid Not necessary. ---

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

15 mL A1

Chemical:	chemicals/mixture < 1%	CAS No.: -
TSCA Inventory:	all listed, <1%	
Korea Exist.Chem.li	nventory: listed	

15 mL A2 (with LyseControl)

		,	· · ·
: 1310-73-2d	CAS No.: 1310-73-	sodium hydroxide solution	Chemical:
	California Proposition 65 List: not listed	listed	TSCA Inventory:
	n, skin and/or eye contact	inhalation, ingestion	Exposure Routes:
	ory system	Eyes, skin, respirate	Target Organs:
		-	Symptoms:
	DSCL: not listed	not listed, Japan PD	Japan CSCL/PRTR:
	SDS required	listed ≥1,0%/≥1,0%	Japan ISHL:
		ventory: KE-31487	Korea Exist.Chem.In
	ory system DSCL: not listed	Eyes, skin, respirato - not listed, Japan PE listed ≥1,0%/≥1,0%	Target Organs: Symptoms: Japan CSCL/PRTR: Japan ISHL:



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



Fax: Version: M V 4.12.0 E-mail: info@mn-net.com

E-mail: sales-ch@mn-net.com

E-mail: sales-fr@mn-net.com

E-mail: sales-us@mn-net.com

Safety Data Sheet according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740588.50 Printing date: 14				oSpin Plasmid (50) of issue: 24.01.2020		Page: 10/1
1						
	LD50orl rat :		[< 1%] > 50 g/kg			
L	LD50 _{orl mus} :		[< 1%] > 4 g/kg			
		dodecy	yl sulfate, sodium salt		CAS No.: 151-21-3	
	TSCA Inventory: Australia NICNAS:		listed not listed	California Proposition 65 List: not I Canada CEPA 1999: DSL		
	Japan CSCL/PRTR:			nated Chemical Substance, Japan		
Ji	Japan ISHL: South Korea TCCA:		not listed			
	Korea Exist.Chem.Inv	ventory:	: KE-21884			
L	LD50 _{orl rat} :	-	1288 mg/kg			
	LC50inh rat : LD50drm rbt :		3900 _{1h} mg/m³ 10 g/kg			
,					240.4	
	Chemical: TSCA Inventory:	indicato	or dye(s) all listed, <1%		CAS No.: -	
	nL A3 Chemical:	quanid	line hydrochloride		CAS No.: 50-01-1	
	TSCA Inventory:	guarnui	listed	California Proposition 65 List: not I		
A	Australia NICNAS:		not listed	Canada CEPA 1999: DSL	_ yes	
	Japan CSCL/PRTR: Japan ISHL:		not listed, Japan PDS not listed	CL: not listed		
S	South Korea TCCA:		not listed			
	Korea Exist.Chem.Inv LD50 _{orl rat} :	/entory:	: KE-18111 475-907 mg/kg			
L	LC50 _{ihl rat} :		[4h] 3181-7655 µg/m ³	\$		
L	LD50drm rbt :	ofter of	2000 mg/kg	of health when ingested in small qu	vantities	
		äno, c.	di ilitare, impairmente	Of fiedium when ingeoted in crissing-		
	nL A4 Chemical:	chemic	cals/mixture < 1%		CAS No.: -	
Т	TSCA Inventory:		all listed, <1%			
К	Korea Exist.Chem.Inv	/entory:	listed			
13 n	nL AE					
		chemic	cals/mixture < 1%		CAS No.: -	
	TSCA Inventory: Korea Exist.Chem.Inv	ventory:	all listed, <1% : listed			
30 n	nL AW					
		guanid	line hydrochloride		CAS No.: 50-01-1	
Т	TSCA Inventory:	0	listed	California Proposition 65 List: not I	listed	
	Australia NICNAS: Japan CSCL/PRTR:		not listed not listed, Japan PDS	Canada CEPA 1999: DSL SCL: not listed	_ yes	
Ja	Japan ISHL:		not listed			
	South Korea TCCA: Korea Exist.Chem.Inv	ventory.	not listed			
	LD50 _{orl rat} :	entory.	475-907 mg/kg			
L	LC50 _{ihl rat} :		[4h] 3181-7655 µg/m ³	i.		
L A	LD50 _{drm rbt} : Acute Effects: Cause	after or	2000 mg/kg ral intake, impairments	of health when ingested in small qu	uantities.	
		2-propa			CAS No.: 67-63-0	
	TSCA Inventory: ACGIH:		listed 1230 ppm	California Proposition 65 List: not I	listed	
E	Exposure Routes:		inhalation, ingestion, s	skin and/or eye contact		
	Target Organs: Symptoms:		Eyes, skin, respiratory	y system throat; drowsiness, dizziness, heada	loche: dry cracking skin: in ar	imale: narcosi
	Symptoms: Australia NICNAS:		ที่ที่เล่นอก ยังยัง, กอระ, แ	Canada CEPA 1999: DSL		IIMais. naroosi
			i bi se des Ot			www.mn-n
MACHEREY-N DE/internation		. KG · N CH:	leumann-Neander-Str	r. 6–8 · 52355 Düren · Germany FR:	US:	
			+41 62 388 55 00	Tel.: +33 388 68 22 68	Tel.: +1 484 821 (0984
			+41 62 388 55 05	Fax: +33 388 51 76 88	Fax: +1 484 821	
			sales-ch@mn-net.cor	m F-mail: sales-fr@mn-net.co	om F-mail: sales-us@mr	not com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Printing	40588.50 g date: 14.02.2020		NucleoSpin Plasmid (50) Date of issue: 24.01.2020	Page: 11/
<u>i inturiç</u>	J date. 14.02.2020		Date 01 13506. 24.01.2020	
	Japan CSCL/PRTR: Japan ISHL: South Korea TCCA:		apan PDSCL: - /≥0,1%, Article 57-2 (SDS required)	
	Korea Exist.Chem.Inven LD50 _{orl rat} :	5045 mg/kg		
	LC_Low _{orl hmn} : LC50 _{ihl rat} : LD50 _{drm rbt} :	3570 mg/kg 16 _{4h} g/m³ 12.8 g/kg		
	TRGS 905 (DE):	R _F C		
	0.6-20 mg RNase A (ly	<i>i</i> o)		
	TSCA Inventory: Japan CSCL/PRTR: Japan ISHL: Korea Exist.Chem.Inven LD50intraperitonaeal rat : Acute Effects: Cause aft	392 mg/kg er impairments of use sensitization b		CAS No.: 9001-99-4 es. ct of small amounts. May cause allergy or asthma
ECT	ION 12: Ecological i	nformation	I	
2.1	Toxicity			
	Following information is va	lid for pure subs	stances.	
	15 mL A1	- 1	40/	
	15 mL A1 Chemical: Water hazard class Storage class (VCI)		ure < 1% 1 12-13	CAS No.: -
	Chemical: Water hazard class Storage class (VCI) 15 mL A2 (with LyseCo	(DE): : ontrol)	1 12-13	
	Chemical: Water hazard class Storage class (VCI) 15 mL A2 (with LyseCo Chemical:	(DE): : ontrol) sodium hydroxid	1 12-13	CAS No.: - CAS No.: 1310-73-2d
	Chemical: Water hazard class Storage class (VCI) 15 mL A2 (with LyseCo Chemical: LC50leuciscus idus/96h LC50fish/96h :	(DE):	1 12-13 <i>de solution</i> 35-189 mg/L 45.4 mg/L	
	Chemical: Water hazard class Storage class (VCI) 15 mL A2 (with LyseCo Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h :	(DE): p ntrol) sodium hydroxid	1 12-13 <i>de solution</i> 35-189 mg/L 45.4 mg/L >100 mg/L	
	Chemical: Water hazard class Storage class (VCI) 15 mL A2 (with LyseCo Chemical: LC50leuciscus idus/96h LC50fish/96h :	(DE): sodium hydroxid	1 12-13 <i>de solution</i> 35-189 mg/L 45.4 mg/L	
	Chemical: Water hazard class Storage class (VCI) 15 mL A2 (with LyseCo Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h : Water hazard class Storage class (VCI) Chemical:	(DE): sodium hydroxid : (DE): dodecyl sulfate,	1 12-13 <i>de solution</i> 35-189 mg/L 45.4 mg/L >100 mg/L nwg WGK No.: 0142 12-13 , sodium salt	
	Chemical: Water hazard class Storage class (VCI) 15 mL A2 (with LyseCo Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h : Water hazard class Storage class (VCI) Chemical: LC50daphnia magna/48	(DE): sodium hydroxia : (DE): dodecyl sulfate, gh :	1 12-13 <i>de solution</i> 35-189 mg/L 45.4 mg/L >100 mg/L nwg WGK No.: 0142 12-13 , <i>sodium salt</i> 6.3 mg/L	CAS No.: 1310-73-2d
	Chemical: Water hazard class Storage class (VCI) 15 mL A2 (with LyseCo Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h : Water hazard class Storage class (VCI) Chemical: LC50daphnia magna/48 LC50fish/96h : Water hazard class	(DE): sodium hydroxid sodium hydroxid (DE): dodecyl sulfate, Bh : (DE):	1 12-13 <i>de solution</i> 35-189 mg/L 45.4 mg/L >100 mg/L nwg WGK No.: 0142 12-13 , sodium salt	CAS No.: 1310-73-2d
	Chemical: Water hazard class Storage class (VCI) 15 mL A2 (with LyseCo Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h [:] Water hazard class Storage class (VCI) Chemical: LC50daphnia magna/48 LC50fish/96h [:]	(DE): sodium hydroxin sodium hydroxin (DE): dodecyl sulfate, 8h : (DE): nt _(octanol-water) :	1 12-13 <i>de solution</i> 35-189 mg/L 45.4 mg/L >100 mg/L nwg WGK No.: 0142 12-13 , <i>sodium salt</i> 6.3 mg/L 1.31-22.5 mg/L	CAS No.: 1310-73-2d
	Chemical: Water hazard class Storage class (VCI) 15 mL A2 (with LyseCo Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h : Water hazard class Storage class (VCI) Chemical: LC50daphnia magna/48 LC50fish/96h : Water hazard class Dispersion coefficiel	(DE): sodium hydroxia sodium hydroxia (DE): dodecyl sulfate, 8h : (DE): nt(octanol-water) : indicator dye(s)	1 12-13 <i>de solution</i> 35-189 mg/L 45.4 mg/L >100 mg/L nwg WGK No.: 0142 12-13 , <i>sodium salt</i> 6.3 mg/L 1.31-22.5 mg/L 2 1.6 12-13	CAS No.: 1310-73-2d
	Chemical: Water hazard class Storage class (VCI) 15 mL A2 (with LyseCo Chemical: LC50leuciscus idus/96h LC50dish/96h : Water hazard class Storage class (VCI) Chemical: LC50daphnia magna/46 LC50dish/96h : Water hazard class Dispersion coefficie Storage class (VCI) Chemical: Storage class (VCI)	(DE): sodium hydroxia sodium hydroxia (DE): dodecyl sulfate, 8h : (DE): nt(octanol-water) : indicator dye(s)	1 12-13 <i>de solution</i> 35-189 mg/L 45.4 mg/L >100 mg/L nwg WGK No.: 0142 12-13 . <i>sodium salt</i> 6.3 mg/L 1.31-22.5 mg/L 2 1.6 12-13	CAS No.: 1310-73-2d CAS No.: 151-21-3
	Chemical: Water hazard class Storage class (VCI) 15 mL A2 (with LyseCo Chemical: LC50leuciscus idus/96h LC50daphnia/48h : Water hazard class Storage class (VCI) Chemical: LC50daphnia magna/44 LC50dish/96h : Water hazard class Dispersion coefficiei Storage class (VCI)	(DE): sodium hydroxia sodium hydroxia (DE): dodecyl sulfate, gh : (DE): indicator dye(s) guanidine hydro	1 12-13 de solution 35-189 mg/L 45.4 mg/L >100 mg/L nwg WGK No.: 0142 12-13 , sodium salt 6.3 mg/L 1.31-22.5 mg/L 2 1.6 12-13 12-13	CAS No.: 1310-73-2d CAS No.: 151-21-3
	Chemical: Water hazard class Storage class (VCI) 15 mL A2 (with LyseCo Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h : Water hazard class Storage class (VCI) Chemical: LC50daphnia magna/44 LC50dish/96h : Water hazard class Dispersion coefficie Storage class (VCI) Chemical: Storage class (VCI) Chemical: Storage class (VCI) Chemical: PNEC(fresh water) : PNEC = Predicted No Eff LC50leuciscus idus/96h	(DE): sodium hydroxia sodium hydroxia (DE): dodecyl sulfate, gh : (DE): nt(octanol-water) : indicator dye(s) guanidine hydro fected Concentration	1 12-13 de solution 35-189 mg/L 45.4 mg/L >100 mg/L nwg WGK No.: 0142 12-13 , sodium salt 6.3 mg/L 1.31-22.5 mg/L 2 1.6 12-13 12-13	CAS No.: 1310-73-2d CAS No.: 151-21-3 CAS No.: -
	Chemical: Water hazard class Storage class (VCI) 15 mL A2 (with LyseCo Chemical: LC50leuciscus idus/96h LC50fish/96h : EC50daphnia/48h : Water hazard class Storage class (VCI) Chemical: LC50daphnia magna/48 LC50dish/96h : Water hazard class Dispersion coefficie Storage class (VCI) Chemical: Storage class (VCI) 20 mL A3 Chemical: PNEC [fresh water) : PNEC = Predicted No Eff	(DE): sodium hydroxid sodium hydroxid (DE): dodecyl sulfate, bh: (DE): int(octanol-water): indicator dye(s) guanidine hydro fected Concentration	1 12-13 de solution 35-189 mg/L 45.4 mg/L >100 mg/L nwg WGK No.: 0142 12-13 , sodium salt 6.3 mg/L 1.31-22.5 mg/L 2 1.6 12-13 	CAS No.: 1310-73-2d CAS No.: 151-21-3 CAS No.: -

12 mL A4

MACHEREY-NAGE $\langle MN \rangle$ ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany FR: US: DE/international: CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 Tel.: +49 24 21 969-0 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +49 24 21 969-199 +1 484 821 1272 Fax: Fax: +33 388 51 76 88 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

- · · ·	0588.50	NucleoSpin Plasmid (50)	Page: 12/14
Printing d	date: 14.02.2020	Date of issue: 24.01.2020	
		als/mixture < 1%	CAS No.: -
	Water hazard class (DE): Storage class (VCI):	1 12-13	
	··· · · _		
	13 mL AE Chemical: chemical	als/mixture < 1%	CAS No.: -
	Water hazard class (DE):	1	
	Storage class (VCI):	12-13	
	30 mL AW		
	Chemical: guanidin PNEC(fresh water) : PNEC = Predicted No Effected Conce	ne hydrochloride	CAS No.: 50-01-1
	PNEC =`Predicted No Effected Conce LC50leuciscus idus/96h :	entration 1759 mg/L	
	LC50 _{fish/96h} :	[4d] 690-1850; [48h] 1758-2420 mg/L	
	EC50 _{daphnia} /48h: EC10 _{pseudomonas putita/16h} :	70.2 mg/L [72h] 11.8-33.5 mg/L	
	Water hazard class (DE):	1 WGK No.: 0788	
	Storage class (VCI):	12	
	Chemical: 2-propar PNEC(fresh water) : PNEC = Predicted No Effected Conce	nol 140.9 mg/L entration	CAS No.: 67-63-0
	LC50 _{fish/96h} :	1400 mg/L	
	EC50daphnia/48h : IC50scenedesmus quadricauda/72h	13.3 g/L : >1000 mg/L	
	EC10 _{pseudomonas} putita/16h : Water hazard class (DE):	EC5: 1050 mg/L 1 WGK No.: 0135	
	Dispersion coefficient(octanol-wa	_{vater}): 0.05	
	Storage class (VCI):	3	
	0.6-20 mg RNase A (lyo) Chemical: <i>RNase</i> Water hazard class (DE): Storage class (VCI):	1 13	CAS No.: 9001-99-4
12.2	Persistence and degradability	1	
12.3	Bioaccumulative potential not necessary		
12.4	Mobility in soil not necessary		
12.5	Results of PBT and vPvB asso no data available	essment	
12.6	Other adverse effects no additional data available		
	ON 13: Disposal consider	ations	
SECTIO			waste disposal company, where you will obtain
Plea	ase observe local regulations for collection	on and disposal of hazardous waste and contact v	waste disposal company, where you will obtain
Plea	ease observe local regulations for collection formation on laboratory waste disposal (wa		waste disposal company, where you will obtain
Plea info	ase observe local regulations for collection	aste code number 16 05 06).	waste disposar company, where you will obtain
Plea info 13.1	base observe local regulations for collectic formation on laboratory waste disposal (wa Waste treatment methods	aste code number 16 05 06). mounts (diluted!) into drains.	
Plea info 13.1 SECTIO	base observe local regulations for collectic formation on laboratory waste disposal (wa Waste treatment methods Normally it is possible to empty small ar	aste code number 16 05 06). mounts (diluted!) into drains. I tion	
Plea info 13.1 SECTIO UN or 14.1	wase observe local regulations for collection formation on laboratory waste disposal (wa Waste treatment methods Normally it is possible to empty small ar ON 14: Transport information 1993 class 3 III, Excepted Quantities (s 1 UN number: 1993 14.2 UN prop	aste code number 16 05 06). mounts (diluted!) into drains. Ition ≤30 mL/∑≤1 L) = ADR/ IATA E1 per shipping name: Flammable liquid, n.o.s. (2 -	
Plea info 13.1 SECTIO UN or 14.1 14.3 <i>Roa</i> Class	Asse observe local regulations for collectic formation on laboratory waste disposal (wa Waste treatment methods Normally it is possible to empty small ar ON 14: Transport informa 1 1993 class 3 III, Excepted Quantities (≤ 1 UN number: 1993 14.2 UN prop 3 Class: 3 14.4 Packing ad transport assification code: F1	aste code number 16 05 06). mounts (diluted!) into drains. Ition ≤30 mL/∑≤1 L) = ADR/ IATA E1 per shipping name: Flammable liquid, n.o.s. (2 -	



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: FR: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com

+49 24 21 969-199

CH:

Tel.:

Fax:



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740588.50		Nuc	cleoSpin Plasmid (50)	Page: 13/14
Printing date: 14.02.2020		Dat	e of issue: 24.01.2020	
Excepted Quantity: Air transport	E 1	Special instructions:	640E	
PAX:	355	max. weight PAX:	60 L	
CAO: Maritime transport	366	max. weight CAO:	220 L	
EmS:	F-E, S-E	Storage category:	A	

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011

MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.

15.2 Chemical safety assessment not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1

List of releva	
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H336	May cause drowsiness or dizziness.

List of relevant P phrases 16.1.2

1.4	List of relevant P phrases				
	P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.			
	P260D	Do not breathe vapours.			
	P261sh	Avoid breathing dust/vapours.			
	P264W	Wash with water thoroughly after handling.			
	P280sh	Wear protective gloves/eye protection.			
	P301+312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.			
	P304+340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
	P330	Rinse mouth.			
	P342+311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.			

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)! Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 740588.50	NucleoSpin Plasmid (50)	Page: 14/14
Printing date: 14.02.2020	Date of issue: 24.01.2020	

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009 TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU 2017-11 Adaption of ECHA Registration dossier

